


# CSCE 580: Artificial Intelligence

## Informed Search



Instructor: Pooyan Jamshidi

University of South Carolina

[These slides are mostly based on those of Dan Klein and Pieter Abbeel for CS188 Intro to AI at UC Berkeley, [ai.berkeley.edu](http://ai.berkeley.edu)]

# Today


---

- Informed Search
  - Heuristics
  - Greedy Search
  - A\* Search
- Graph Search



# Recap: Search


---



# Recap: Search

---


- Search problem:
  - States (configurations of the world)
  - Actions and costs
  - Successor function (world dynamics)
  - Start state and goal test
- Search tree:
  - Nodes: represent plans for reaching states
  - Plans have costs (sum of action costs)
- Search algorithm:
  - Systematically builds a search tree
  - Chooses an ordering of the fringe (unexplored nodes)
  - Optimal: finds least-cost plans





# Example: Pancake Problem


---



Cost: Number of pancakes flipped


# Example: Pancake Problem

State space graph with costs as weights



# General Tree Search

```
function TREE-SEARCH(problem, strategy) returns a solution, or failure
  initialize the search tree using the initial state of problem
  loop do
    if there are no candidates for expansion then return failure
    choose a leaf node for expansion according to strategy
    if the node contains a goal state then return the corresponding solution
    else expand the node and add the resulting nodes to the search tree
  end
```



# The One Queue

- All these search algorithms are the same except for fringe strategies
  - Conceptually, all fringes are priority queues (i.e. collections of nodes with attached priorities)
  - Practically, for DFS and BFS, you can avoid the  $\log(n)$  overhead from an actual priority queue, by using stacks and queues
  - Can even code one implementation that takes a variable queuing object





# Uninformed Search

---



# Uniform Cost Search

- Strategy: expand lowest path cost
- The good: UCS is complete and optimal!
- The bad:
  - Explores options in every “direction”
  - No information about goal location



[Demo: contours UCS empty (L3D1)]

[Demo: contours UCS pacman small maze (L3D3)]

# Video of Demo Contours UCS Empty

---



# Video of Demo Contours UCS Pacman Small Maze

---








# Informed Search

---




# Search Heuristics

- A heuristic is:
  - A function that *estimates* how close a state is to a goal
  - Designed for a particular search problem
  - Examples: Manhattan distance, Euclidean distance for pathing




# Example: Heuristic Function



$h(x)$

# Example: Heuristic Function

Heuristic: the number of the largest pancake that is still out of place




# Greedy Search

---




# Example: Heuristic Function





$h(x)$

# Greedy Search

- Expand the node that seems closest...





- What can go wrong?



# Greedy Search

- Strategy: expand a node that you think is closest to a goal state
  - Heuristic: estimate of distance to nearest goal for each state
- A common case:
  - Best-first takes you straight to the (wrong) goal
- Worst-case: like a badly-guided DFS



[Demo: contours greedy empty (L3D1)]

[Demo: contours greedy pacman small maze (L3D4)]



# Video of Demo Contours Greedy (Empty)

---



# Video of Demo Contours Greedy (Pacman Small Maze)

---





# A\* Search

---



# Combining UCS and Greedy

- **Uniform-cost** orders by path cost, or *backward cost*  $g(n)$
- **Greedy** orders by goal proximity, or *forward cost*  $h(n)$




- **A\* Search** orders by the sum:  $f(n) = g(n) + h(n)$

Example: Teg Grenager

# When should A\* terminate?

---


- Should we stop when we enqueue a goal?



- No: only stop when we dequeue a goal

# Is A\* Optimal?


---




- What went wrong?
- Actual bad goal cost < estimated good goal cost
- We need estimates to be less than actual costs!

# Admissible Heuristics


---



# Idea: Admissibility



Inadmissible (pessimistic) heuristics break optimality by trapping good plans on the fringe



Admissible (optimistic) heuristics slow down bad plans but never outweigh true costs




# Admissible Heuristics

- A heuristic  $h$  is *admissible* (optimistic) if:

$$0 \leq h(n) \leq h^*(n)$$

where  $h^*(n)$  is the true cost to a nearest goal

- Examples:




4



- Coming up with admissible heuristics is most of what's involved in using A\* in practice.

# Optimality of A\* Tree Search

---



# Optimality of A\* Tree Search


---

Assume:

- A is an optimal goal node
- B is a suboptimal goal node
- h is admissible

Claim:


- A will exit the fringe before B



# Optimality of A\* Tree Search: Blocking

Proof:

- Imagine B is on the fringe
- Some ancestor  $n$  of A is on the fringe, too (maybe A!)
- Claim:  $n$  will be expanded before B
  1.  $f(n)$  is less or equal to  $f(A)$



$$f(n) = g(n) + h(n)$$

$$f(n) \leq g(A)$$

$$g(A) = f(A)$$

Definition of f-cost


Admissibility of h

$h = 0$  at a goal

# Optimality of A\* Tree Search: Blocking

Proof:

- Imagine B is on the fringe
- Some ancestor  $n$  of A is on the fringe, too (maybe A!)
- Claim:  $n$  will be expanded before B
  1.  $f(n)$  is less or equal to  $f(A)$
  2.  $f(A)$  is less than  $f(B)$



$$g(A) < g(B)$$

$$f(A) < f(B)$$


B is suboptimal

$h = 0$  at a goal

# Optimality of A\* Tree Search: Blocking

Proof:

- Imagine B is on the fringe
- Some ancestor  $n$  of A is on the fringe, too (maybe A!)
- Claim:  $n$  will be expanded before B
  1.  $f(n)$  is less or equal to  $f(A)$
  2.  $f(A)$  is less than  $f(B)$
  3.  $n$  expands before B
- All ancestors of A expand before B
- A expands before B
- A\* search is optimal




$$f(n) \leq f(A) < f(B)$$

# Properties of $A^*$


# Properties of $A^*$

---

Uniform-Cost



$A^*$







# UCS vs A\* Contours

---

- Uniform-cost expands equally in all “directions”



- A\* expands mainly toward the goal, but does hedge its bets to ensure optimality



[Demo: contours UCS / greedy / A\* empty (L3D1)]  
[Demo: contours A\* pacman small maze (L3D5)]

# Video of Demo Contours (Empty) -- UCS

---



# Video of Demo Contours (Empty) -- Greedy

---



# Video of Demo Contours (Empty) – A\*

---



# Video of Demo Contours (Pacman Small Maze) – A\*

---



# Comparison


---



Greedy



Uniform Cost



A\*

# A\* Applications



# A\* Applications


- Video games
- Pathing / routing problems
- Resource planning problems
- Robot motion planning
- Language analysis
- Machine translation
- Speech recognition
- ...




[Demo: UCS / A\* pacman tiny maze (L3D6,L3D7)]  
[Demo: guess algorithm Empty Shallow/Deep (L3D8)]



# Video of Demo Pacman (Tiny Maze) – UCS / A\*



# Video of Demo Empty Water Shallow/Deep – Guess Algorithm




The screenshot shows the PyDev - Eclipse IDE interface. A context menu is open over the code editor, listing various search algorithms. The 'search -- no costs' option is selected. The console window at the bottom displays the following output:

```
<terminated> 1.5  
Total cost: 27  
Number of nodes expanded: 182  
Number of unique nodes expanded: 182  
Pacman emerges victorious! Score: 573  
['numKills': [0], 'results': ['Win'], 'numMoves': [27], 'scores': [573]]
```

The Windows taskbar at the bottom shows the system tray with a battery level of 98%, the date 8/30/2012, and the time 11:54 AM.



# Creating Heuristics

---



# Creating Admissible Heuristics

- Most of the work in solving hard search problems optimally is in coming up with admissible heuristics
- Often, admissible heuristics are solutions to *relaxed problems*, where new actions are available




- Inadmissible heuristics are often useful too

# Example: 8 Puzzle

7	2	4
5		6
8	3	1

Start State



Actions



	1	2
3	4	5
6	7	8

Goal State

- What are the states?
- How many states?
- What are the actions?
- How many successors from the start state?
- What should the costs be?

# 8 Puzzle I

- Heuristic: Number of tiles misplaced
- Why is it admissible?
- $h(\text{start}) = 8$
- This is a *relaxed-problem* heuristic




Average nodes expanded when the optimal path has...			
	...4 steps	...8 steps	...12 steps
UCS	112	6,300	$3.6 \times 10^6$
TILES	13	39	227

Statistics from Andrew Moore

# 8 Puzzle II

- What if we had an easier 8-puzzle where any tile could slide any direction at any time, ignoring other tiles?
- Total *Manhattan* distance
- Why is it admissible?
- $h(\text{start}) = 3 + 1 + 2 + \dots = 18$




	Average nodes expanded when the optimal path has...		
	...4 steps	...8 steps	...12 steps
TILES	13	39	227
MANHATTAN	12	25	73

# 8 Puzzle III

- How about using the *actual cost* as a heuristic?

- Would it be admissible?
- Would we save on nodes expanded?
- What's wrong with it?



- With  $A^*$ : a trade-off between quality of estimate and work per node

- As heuristics get closer to the true cost, you will expand fewer nodes but usually do more work per node to compute the heuristic itself



# Semi-Lattice of Heuristics

# Trivial Heuristics, Dominance

- Dominance:  $h_a \geq h_c$  if

$$\forall n : h_a(n) \geq h_c(n)$$


- Heuristics form a semi-lattice:

- Max of admissible heuristics is admissible

$$h(n) = \max(h_a(n), h_b(n))$$


- Trivial heuristics

- Bottom of lattice is the zero heuristic (what does this give us?)
- Top of lattice is the exact heuristic





# Graph Search

---




# Tree Search: Extra Work!

- Failure to detect repeated states can cause exponentially more work.



# Graph Search

- In BFS, for example, we shouldn't bother expanding the circled nodes (why?)




# Graph Search

---


- Idea: never **expand** a state twice
- How to implement:
  - Tree search + set of expanded states (“closed set”)
  - Expand the search tree node-by-node, but...
  - Before expanding a node, check to make sure its state has never been expanded before
  - If not new, skip it, if new add to closed set
- Important: **store the closed set as a set**, not a list
- Can graph search wreck completeness? Why/why not?
- How about optimality?

# A\* Graph Search Gone Wrong?


State space graph



Search tree



# Consistency of Heuristics




- Main idea: estimated heuristic costs  $\leq$  actual costs
  - Admissibility: heuristic cost  $\leq$  actual cost to goal
$$h(A) \leq \text{actual cost from A to G}$$
  - Consistency: heuristic “arc” cost  $\leq$  actual cost for each arc
$$h(A) - h(C) \leq \text{cost}(A \text{ to } C)$$
- Consequences of consistency:
  - The f value along a path never decreases
$$h(A) \leq \text{cost}(A \text{ to } C) + h(C)$$
  - A\* graph search is optimal




# Optimality of A\* Graph Search

---



# Optimality of A\* Graph Search


- Sketch: consider what A\* does with a consistent heuristic:
  - Fact 1: In tree search, A\* expands nodes in increasing total f value (f-contours)
  - Fact 2: For every state s, nodes that reach s optimally are expanded before nodes that reach s suboptimally
  - Result: A\* graph search is optimal



# Optimality

---

- **Tree search:**
  - A\* is optimal if heuristic is admissible
  - UCS is a special case ( $h = 0$ )
- **Graph search:**
  - A\* optimal if heuristic is consistent
  - UCS optimal ( $h = 0$  is consistent)
- **Consistency implies admissibility**
- **In general, most natural admissible heuristics tend to be consistent, especially if from relaxed problems**



# A\*: Summary


---



# A\*: Summary

---

- A\* uses both backward costs and (estimates of) forward costs
- A\* is optimal with admissible / consistent heuristics
- Heuristic design is key: often use relaxed problems



# Tree Search Pseudo-Code

---

```
function TREE-SEARCH(problem, fringe) return a solution, or failure
  fringe ← INSERT(MAKE-NODE(INITIAL-STATE[problem]), fringe)
  loop do
    if fringe is empty then return failure
    node ← REMOVE-FRONT(fringe)
    if GOAL-TEST(problem, STATE[node]) then return node
    for child-node in EXPAND(STATE[node], problem) do
      fringe ← INSERT(child-node, fringe)
    end
  end
```

# Graph Search Pseudo-Code

---

```
function GRAPH-SEARCH(problem, fringe) return a solution, or failure
  closed ← an empty set
  fringe ← INSERT(MAKE-NODE(INITIAL-STATE[problem]), fringe)
  loop do
    if fringe is empty then return failure
    node ← REMOVE-FRONT(fringe)
    if GOAL-TEST(problem, STATE[node]) then return node
    if STATE[node] is not in closed then
      add STATE[node] to closed
      for child-node in EXPAND(STATE[node], problem) do
        fringe ← INSERT(child-node, fringe)
      end
    end
  end
```